



中国国家强制性产品认证证书

证书编号：2008010907283624

委托人名称、地址

雅达电子国际有限公司
香港九龙观塘荣业街二号振万广场十六楼

生产者（制造商）名称、地址

雅达电子国际有限公司
香港九龙观塘荣业街二号振万广场十六楼

生产企业名称、地址

中山市纸箱总厂有限公司
中山市石岐区岐关西路62号

产品名称和系列、规格、型号

电源供应器

见附件；仅适用于海拔2000米及以下；仅适用于非热带气候条件

产品标准和技术要求

GB17625.1-2012; GB4943.1-2011; GB/T9254-2008

上述产品符合强制性产品认证实施规则 CNCA-C09-01:2014 的要求，
特发此证。

发证日期：2017年11月28日 有效期至：2022年11月28日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书，证书首次颁发日期：2008年07月08日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任：



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2008010907283624

NAME AND ADDRESS OF THE APPLICANT

Astec International Limited
16th Floor, Lu Plaza, 2 Wing Yip Street Kwun Tong, Kowloon, Hong Kong

NAME AND ADDRESS OF THE MANUFACTURER

Astec International Limited
16th Floor, Lu Plaza, 2 Wing Yip Street Kwun Tong, Kowloon, Hong Kong

NAME AND ADDRESS OF THE FACTORY

Zhongshan General Carton Box Factory Co. Ltd.
No.62, Qi Guan Road West, Shiqi District, Zhongshan City, Guangdong, people's republic of
China

PRODUCT NAME, MODEL AND SPECIFICATION

Power Supply
见附件；仅适用于海拔 2000 米及以下；仅适用于非热带气候条件

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB4943.1-2011;GB/T9254-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C09-01:2014).

Valid from: Nov.28,2017

Valid until: Nov.28,2022

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jul.08,2008

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2008010907283624

纸号: 1869076

型号	输入	输出
DS760SL-3	100-120VAC/200-240VAC, 8.8A max, 50/60Hz	V1: 12.0V, 62.3A max; Vsb: 5.0V, 2.4A max; 最大总输出功率: 760W
DS760SL-3-001	100-120VAC/200-240VAC, 6.8A max, 50/60Hz	V1: 12.0V, 49.0A max; Vsb: 5.0V, 2.4A max; 最大总输出功率: 600W
DS760SL-3-002	100-120VAC/200-240VAC, 8.8A max, 50/60Hz	V1: 12.0V, 62.3A max; Vsb: 3.35V, 3.6A max; 最大总输出功率: 760W
DS760SL-3-003	100-120VAC/200-240VAC, 6.8A max, 50/60Hz	V1: 12.0V, 49.0A max; Vsb: 3.35V, 3.6A max; 最大总输出功率: 600W

(本产品销售时不配备电线组件)

注: 此附录与证书同时使用时有效。



主任:



中国质量认证中心